

INDEX TO VOL. VIII.

A † is prefixed to the names of fossil species.

	PAGE		PAGE
A			
<i>Alcira angulata</i> , n.sp. (fig.) .	181	Bowell, E. W., 'On the Radulae of the British Helicids.' (Parts I-III.) . . .	125, 205, 379
— <i>lævigata</i> , n.sp. (fig.) .	181	Bridgman, F. G., 'Description of a new species of <i>Oliva</i> ' . . .	203
— <i>sanguinea</i> , n.sp. (fig.) .	181	— 'Description of a new species of <i>Oliva</i> from the Andaman Islands' . . .	287
<i>Amalthea Coxi</i> , n.sp. (fig.) .	17	British Helicids, radulae (fig.)	125, 205, 379
<i>Ampullaria avellana</i> , n.sp. (fig.) .	360	Brusina, Spiridion, obituary notice	271
— <i>canaliculata</i> , Lam. .	363	Bullen, R. A., 'Holocene and Recent non-marine Mollusca from the neighbourhood of Perranzabuloe'	247
— <i>Da Costæ</i> , n.sp. (fig.) .	359	— 'Further Notes on the Holocene non-marine Shells of Perranzabuloe, Cornwall'	373
— <i>Guyanensis</i> , Lam. .	363	Burne, R. H., exhibition of <i>Spirula</i>	122
— <i>interrupta</i> , n.sp. (fig.) .	361		
— <i>levior</i> , n.sp. (fig.) .	361		
— monograph .	345		
<i>Anabathrou gradatum</i> , n.sp. (fig.) .	32		
† <i>Aphrodina nitidula</i> , hinge (fig.) .	156		
† <i>Astarte mutabilis</i> , with reversed hinge-dentition (fig.) .	4		
Athoracophoridae of New Zealand (fig.) .	321		
<i>Athoracophorus bitentaculatus</i> , <i>rufovenosus</i> (fig.) .	322		
— <i>giganteus</i> , n.sp. (fig.) .	325		
— <i>Huttoni</i> , n.sp. .	324		
— <i>Martensi</i> , n.n. .	324		
<i>Atilia biconica</i> , n.sp. (fig.) .	182		
B			
† <i>Baroda (Venerella) Hermonvilensis</i> , hinge (fig.) .	171		
<i>Bathytoma grutiosa</i> , n.sp. (fig.) .	186		
<i>Batisse Fijensis</i> , n.sp. (fig.) .	140		
Beddome, R. H., 'Descriptions of <i>Labyrinthus euclausus</i> and <i>Neocyclotus Belli</i> , n.spp., from Colombia' .	20		
<i>Bela Neozelanica</i> , n.sp. (fig.) .	185		
Birket el Qurun, Mollusca of .	9		
Birley, Caroline, obituary notice .	65		
<i>Bittium retiferum</i> , n.sp. (fig.) .	34		
— <i>vitreum</i> , n.sp. (fig.) .	34		
Bowell, E. W., 'On the Anatomy of <i>Vitreum Scharffii</i> ' .	52		
— 'On the Radulae of <i>Vitreum helvetica</i> , Blum., and the allied species' .	57		
— 'Note on the Radula of <i>Pomatias elegans</i> (Müll.)'	97		
C			
<i>Cantharidus opalus</i> , Martyn, n.var. <i>biangulatus</i> (fig.) .	22		
<i>Carelia Pilsbryi</i> , n.sp. (fig.) .	204		
<i>Cepolis definita</i> , n.n. for <i>C. trizonalis</i> , auct. .	45		
<i>Cerithiopsis acies</i> , n.sp. (fig.) .	35		
— <i>canaliculata</i> , n.sp. (fig.) .	35		
— <i>marginata</i> , n.sp. (fig.) .	36		
— <i>styliformis</i> , n.sp. (fig.) .	36		
— <i>subantarctica</i> , n.sp. (fig.) .	35		
<i>Chiarella</i> .	197		
<i>Chlamys Smathi</i> , n.sp. (fig.) .	18		
Christmas Island, Mollusca .	369		
<i>Cirsonella densilirata</i> , n.sp. (fig.) .	26		
<i>Clathurella Birtsi</i> , n.sp. (fig.) .	6		
<i>Clausilia</i> , habitats, etc. .	142, 343		
† <i>Clementia (Flarentia) ovalis</i> , hinge (fig.) .	167		
<i>Cleopatra Hargeri</i> , n.sp. (fig.) .	13		
<i>Cocculina clypeidellæformis</i> , n.sp. (fig.) .	27		
— <i>compressa</i> , n.sp. (fig.) .	27		
— <i>craticulata</i> , n.sp. (fig.) .	27		
Cooke, A. H., 'The Habitat of certain species of <i>Clausilia</i> from Dalmatia, Herzegovina, and Bosnia' .	142		

PAGE	PAGE
F	
<i>Flammulina costulata, parva</i>	259
<i>Flaventia</i> , n. subgen.	167
<i>Fanicurus</i>	122
Fossil pearl-growths (fig.)	318
<i>Fulguraria (Aeilethoe) depressa</i> , n.sp. (fig.)	182
Fulton, H., 'A list of species of shells described by Dr. Grateoult, with critical notes'	43
— 'Descriptions of two new species of <i>Synapteres</i> '	84
— 'Description of a new species of <i>Strophochelus</i> '	86
G	
<i>Gibbula Dacostana</i> , n.sp. (fig.)	377
— <i>tenuilirata</i> , n.sp. (fig.)	378
<i>Giraudia minima</i> , n.sp. (fig.)	12
Godwin-Austen, H. H., 'The Dispersal of Land Shells by the agency of Man'	146
— 'Descriptions of the Animals of two Land Shells from Perak'	365
<i>Gomphina donacina</i> (fig.)	233, 244
— (<i>Liocyma</i>) <i>fluctuosa</i> (fig.)	236, 244
† <i>Gryphaea dilatata</i> , with pearls (fig.)	138
Gude, G. K., 'On the identity of <i>Plectopylis leophis</i> and <i>P. pseudophis</i> '	88
— 'Descriptions of six new species of <i>Plectopylis</i> from Tonkin'	213
H	
<i>Hipponyx salebrosus</i> , n.sp. (fig.)	8
† Holocene Mollusca	90
† — from Perranzabuloe	247
I	
† <i>Inoceramus expansus</i> (fig.), with pearls	133
— <i>Goldfussianus</i> (fig.)	132
— <i>labiatus</i> , with pearls (fig.)	134
— <i>sagensis</i> , var. <i>quadrans</i> , with pearls (fig.)	134
— sp., with pearls (fig.)	135, 136
J	
Jackson, J. W., 'On some Fossil Pearl-growths'	318
Jones, K. H., 'Note on the species of <i>Cyclophorus</i> found at Hong- Kong'	314
E	
<i>Endodonta (Charopa) gaza</i> , n.sp. (fig.)	260
— <i>Kenepuruensis</i> , n.sp. (fig.)	260
— <i>vortex, microrhina</i>	261
— (<i>Ptychodon</i>) <i>Chiltoni</i> , n.sp. (fig.)	260

PAGE	PAGE
Jukes-Browne, A. J., 'The Application of Poli's Generic Names'	99
— 'On the Genera of Veneridae represented in the Cretaceous and older Tertiary deposits'	148
— 'The application of the names <i>Gomphina</i> , <i>Marcia</i> , <i>Hemitapes</i> , and <i>Katelysia</i> '	233
K	
<i>Kaliella cruda</i> , n.sp. (fig.)	371
Kennard, A. S., 'On the Distribution of <i>Petricola pholadiformis</i> , Lam.'	3
— 'Notes on <i>Planorbis vorticulus</i> , Troschel, and <i>Pl. levius</i> , Alder; also on some proposed subdivisions of the genus'	46
— 'On <i>Vitrea Scharffi</i> , n.sp.'	50
— 'On <i>Pomatias Harmeri</i> , n.sp., from the Pliocene (Red Crag) of Little Oakley, Essex'	316
— 'On non-marine Mollusca from an early Neolithic Interment at Cuxton, Kent'	375
— and Woodward, B. B., 'On the Mollusca of some Holocene deposits of the Thames River System'	90
L	
<i>Labyrinthus euclausus</i> , n.sp. (fig.)	20
<i>Laniates magnus</i> , Furtado	118
<i>Laoma (Phrixgnathus) Alfredi</i> , n.sp. (fig.)	262
— <i>compressa</i> , n.sp. (fig.)	261
— <i>fulgorata</i> , n.sp. (fig.)	262
— <i>liratula</i> , n.sp. (fig.)	262
— <i>Trailli</i> , n.sp. (fig.)	261
— <i>viridula</i> , n.sp. (fig.)	263
<i>Leptodontiarion Perakensis</i> , n.sp. (fig.)	365
<i>Leptothyra crassilirata</i> , n.sp. (fig.)	377
<i>Liotia rotula</i> , n.sp. (fig.)	24
— <i>serrata</i> , n.sp. (fig.)	23
— <i>solitaria</i> , n.sp. (fig.)	23
— <i>Walkeri</i> , n.sp. (fig.)	16
Loydell, A., <i>see</i> Cooper, J. E., and Loydell, A.	219
M	
<i>Macrochlamys rex</i> , n.sp. (fig.)	202
<i>Magilus</i> , species of	194
<i>Mangilia cophinodes</i> , n.sp. (fig.)	188
— <i>devia</i> , n.sp. (fig.)	187
— <i>quadricincta</i> , n.sp. (fig.)	187
M	
<i>Marcia (Hemitapes) rimularis</i> (fig.)	239, 245
— (<i>Katelysia</i>) <i>corrugata</i> (fig.)	245
— <i>pinguis</i> (fig.)	237, 244
<i>Marginella (Glabella) amœna</i> , n.sp. (fig.)	184
— <i>lurida</i> , n.sp. (fig.)	183
— <i>parvistriata</i> , n.sp. (fig.)	183
— <i>Stewartiana</i> , n.sp. (fig.)	183
<i>Mathilda Neozelanica</i> , n.sp. (fig.)	40
<i>Melania funerea</i> , n.sp. (fig.)	7
<i>Melibe</i> , cerata	121
† <i>Mercimonia cytheræformis</i> , hinge (fig.)	169
† <i>Meretricha depressa</i> , hinge (fig.)	160
Middlesex recent Mollusca	219
<i>Minolia cinerea</i> , n.sp. (fig.)	378
<i>Mitra recurvirostris</i> , n.n. for <i>M. recurva</i> , Sowb.	4
<i>Mitrella leptalea</i> , n.sp. (fig.)	180
— <i>pseudomarginata</i> , n.sp. (fig.)	179
— <i>stephanophora</i> , n.sp. (fig.)	179
— <i>subantarctica</i> , n.sp. (fig.)	180
<i>Mitromorpha gemmata</i> , n.sp. (fig.)	186
<i>Modiola granolirata</i> , n.sp. (fig.)	201
Mollusca of Middlesex	219
<i>Monilea (Minolia) semireticulata</i> , n.sp. (fig.)	22
<i>Mutela Hargeri</i> , n.sp. (fig.)	14
N	
<i>Natica Bougei</i> , n.sp. (fig.)	17
<i>Neocyclotus Belli</i> , n.sp. (fig.)	20
Newton, R. B., 'Fossil Pearl-growths'	128
O	
Obituary notices	65, 271
<i>Oliva Andamanensis</i> , n.sp. (fig.)	287
— <i>Brettinghami</i> , n.sp. (fig.)	203
<i>Omalogyra bicarinata</i> , n.sp. (fig.)	33
— <i>fusca</i> , n.sp. (fig.)	33
P	
<i>Paradione</i>	197
<i>Paraspira</i> , Dall	48
Pearl-growths, fossil (fig.)	128, 318
<i>Peetea (Chlamys) dichrous</i> , n.sp. (fig.)	264
† <i>Perna oblonga</i> , with pearls (fig.)	137
† <i>Perranzabuloe</i> Mollusca, Holocene	247
<i>Petricola pholadiformis</i> , distribution of	3
<i>Philine constricta</i> , <i>auriformis</i> (fig.)	257
<i>Phænicurus varius</i>	121
'Photographic Conchology'	196

PAGE		PAGE	
Pilsbry, H. A., 'Note on the Clausilium of a Chinese species of <i>Clausilia</i> '	119	<i>Rissoa rufoapicata</i> , n.sp. (fig.)	28
<i>Pisidium personatum</i>	124	(<i>Alvania</i>) <i>exserta</i> , n.sp.	28
<i>supinum</i>	330	(<i>Cingula</i>) <i>lampra</i> , n.sp. (fig.)	29
<i>Pitaria elata</i> , n.sp. (fig.)	18	<i>roseocincta</i> , n.sp. (fig.)	29
† — <i>Parisensis</i> , hinge (fig.)	158	(<i>Onoba</i>) <i>foliata</i> , n.sp. (fig.)	28
<i>Planorbis levius</i> , Alder	46	(<i>Setia</i>) <i>atomus</i> , n.sp. (fig.)	30
† — <i>vorticulus</i> , Troschel	46	<i>infesta</i> , n.sp. (fig.)	31
— subdivisions of	141	<i>porcellana</i> , n.sp. (fig.)	30
<i>Plectopylis antecides</i> , n.sp. (fig.)	216	<i>Stewartiana</i> , n.sp. (fig.)	31
<i>cyrtochila</i> , n.sp. (fig.)	217	<i>vereunda</i> , n.sp. (fig.)	30
<i>fallax</i> , n.sp. (fig.)	217	<i>Rissoina fuscozonata</i> , n.sp. (fig.)	32
<i>Gouldingi</i> , n.sp. (fig.)	215	<i>rufolactea</i> , n.sp. (fig.)	33
<i>leiophis</i>	88	<i>zonata</i> , n.sp. (fig.)	253
<i>Messageri</i> , n.sp. (fig.)	214	(<i>Setia</i>) <i>lubrica</i> , Suter (fig.)	29
<i>pseudodophis</i>	88		
<i>vereunda</i> , n.sp. (fig.)	215		
<i>Plesiostrochus Fischeri</i> , n.sp. (fig.)	370		
<i>Pleurotomella millepunctata</i> , n.sp. (fig.)	198		
Pol's generic names	99, 251	S	
<i>Pomatias elegans</i> (Müll.), radula (fig.)	97	<i>Samarangia lenticularis</i> (fig.)	245
† — <i>Harmieri</i> , n.sp. (fig.)	316	Schlesch, Hans, malpractices of	64
Preston, H. B., 'Description of a new species of <i>Clathurella</i> , probably from Ceylon'	6	<i>Serobs Hedleyi</i> , n.sp. (fig.)	31
— 'Descriptions of new species of land, fresh-water, and marine shells from West Africa'	7	<i>Scila bulbosa</i> , n.sp. (fig.)	37
— 'Description of a new species of <i>Rhagada</i> from Western Australia'	120	<i>Chathamensis</i> , n.sp. (fig.)	37
— 'Description of a new species of <i>Batissa</i> from the Fiji Islands' .	140	<i>dissimilis</i> , n.sp. (fig.)	37
— 'Descriptions of new species of <i>Macrochlamys</i> and <i>Pseudodon</i> from Siam'	202	<i>Serphe Matthewsii</i> , n.sp. (fig.)	259
— 'Descriptions of new Trochoid Shells from North Queensland'	377	Shaw, H. O. N., 'Notes on the genera <i>Cypraea</i> and <i>Trivia</i> '	288
<i>Pseudodon ponderosa</i> , n.sp. (fig.)	202	— 'On the Dates of Issue of Sowerby's "Conchological Illus- trations"'	333
<i>Pseudoglossula Efuleensis</i> , n.sp. (fig.)	7	Sherborn, C. D., 'On Sowerby's "Conchological Illustrations" and Gray's "Descriptive Cata- logue of Shells"'	331
<i>Pseudoliotia imperforata</i> , n.sp. (fig.)	26	Sidon, shell-mound at	341
<i>Pyrula Bengalina</i> , Grateloup	3	<i>Siphonaria Cookiana</i> , n.sp. (fig.)	258
		<i>Sistrum Andrewesi</i> , n.sp. (fig.)	369
		<i>chrysalis</i> , n.sp. (fig.)	17
		<i>Sitala</i> (?) <i>Guwongensis</i> , n.sp. (fig.)	367
		<i>Skeneella Pfefferi</i> , n.sp. (fig.)	253
		Smith, E. A., 'On <i>Pyrula</i> <i>Bengalina</i> of Grateloup'	3
		— 'On the Mollusca of Birket el Quran, Egypt'	9
		— 'Descriptions of new species of fresh-water shells from Central Africa'	12
		— 'On the known recent species of the genus <i>Vanikoro</i> , Q. & G.' .	104
		'Note on <i>Lanistes magnus</i> , Furtado'	118
		'Note on <i>Diplommatina</i> <i>Strubelli</i> , Smith'	196
		'Note on "Photographic Conchology" of Sylvanus Hanley'	196
		— 'List of Mollusca from Christmas Island, Indian Ocean'	369

R

Reynell, A., 'On <i>Astarte mutabilis</i> , with reversed hinge-dentition'	4
— 'On the Original Drawings for the Illustrations in the "Historia Naturalis Testaceorum Britanniae" of E. M. Da Costa'	4
<i>Rhagada Radleyi</i> , n.sp. (fig.)	120
Ridewood, W. G., exhibition of cerata of <i>Tethys</i> or <i>Melibe</i> from Ceylon and Japan	121

PAGE		PAGE	
Sowerby, G. B., 'Mitra recurvirostris, n.n. for <i>M. recurva</i> , Sowb.'	4	<i>Triphora fascelina</i> , n.sp. (fig.)	38
— 'Descriptions of eight new species of marine Mollusca'	16	— <i>Huttoni</i> , n.nov. (fig.)	38
— exhibition of species of <i>Mayluis</i>	194	— <i>lutea</i> , n.sp. (fig.)	39
— 'Descriptions of new species of <i>Terebra</i> , <i>Pleurotoma</i> , <i>Trochus</i> , <i>Tellina</i> , <i>Dosinia</i> , and <i>Modiola</i> '	198	— <i>triticea</i> , Pease (fig.)	371
— 'Notes on the family Ampullariidae, with list of species, varieties, and synonyms, also descriptions of four new species'	345	<i>Trivia Corinnae</i> , n.n.	308
— 'Notes on certain types of <i>Ampullaria</i> in the Paris and Geneva Museums'	363	— <i>Edgari</i> , n.n.	310
<i>Spirula</i>	122	— <i>ovulata</i> , var. <i>rubra</i>	312
<i>Strophocheilus</i> (<i>Dryptus</i>) <i>jubens</i> , n.sp. (fig.)	86	— notes on (fig.)	288
† <i>Sunetta</i> (<i>Meroëna</i>) <i>trigonula</i> (fig.)	164	<i>Trochus (Infundibulum)</i> <i>optatus</i> , n.sp. (fig.)	199
Suter, H., 'Additions to the marine molluscan fauna of New Zealand, with descriptions of new species'	22	<i>Trophon (Kalydon)</i> <i>Aucklandicus</i> (fig.)	254
— 'Descriptions of new species of New Zealand Marine Shells'	178	— <i>columellaris</i> , n.sp. (fig.)	178
— 'Descriptions of new species and subspecies of New Zealand Mollusca, with notes on a few species'	253	— (<i>Trophonopsis</i>) <i>crispulatus</i> , n.sp. (fig.)	178
— 'The New Zealand Athoracophoridae, with descriptions of two new forms'	321	<i>Turritella chordata</i> , n.sp. (fig.)	39
Sykes, E. R., 'Carelia Pilsbryi, n.sp., from the Hawaiian Islands'	204	— <i>difficilis</i> , n.sp. (fig.)	40
<i>Synapteres</i> (<i>Zoniferella</i>) <i>bicingulatus</i> , n.sp. (fig.)	84		
— <i>Pilsbryi</i> , n.sp. (fig.)	84		
T		U	
<i>Tellina Bougei</i> , n.sp. (fig.)	200	<i>Unio Miceruensis</i> , n.sp. (fig.)	13
<i>Terebra Caledonica</i> , n.sp. (fig.)	198	<i>Urosalpinx Walkeri</i> , n.sp. (fig.)	17
— <i>flexicostata</i> , n.sp. (fig.)	255		
<i>Tethys</i> , cerata	121		
<i>Therasia antipoda</i> , <i>Chathamensis</i> (fig.)	259		
† <i>Tivelina tellinaria</i> , hinge (fig.)	159		
<i>Tornatellina subperforata</i> , n.sp. (fig.)	263		
<i>Tornatina biciplicata</i> , n.sp. (fig.)	255		
— <i>Charlottae</i> , n.sp. (fig.)	256		
— <i>Cookiana</i> , n.sp. (fig.)	256		
— <i>decapitata</i> , n.sp. (fig.)	256		
— <i>tenuilirata</i> , n.sp. (fig.)	257		
<i>Torquis</i> , Dall	48		
		V	
		<i>Vanikoro</i> , monograph	104
		— <i>Nataleensis</i> , n.sp. (fig.)	113
		<i>Veneridae</i> , genera	148
		<i>Vitrea glabra</i> , radula and genitalia (fig.)	57
		— <i>helvetica</i> , genitalia and radula (fig.)	57
		— <i>Rogersi</i> , genitalia and radula (fig.)	57
		— <i>Scharffi</i> , anatomy (fig.)	52
		— <i>Scharffi</i> , n.sp. (fig.)	50
		<i>Vivipara Kalingwisiensis</i> , n.sp. (fig.)	12
		W	
		Woodward, B. B., 'Malacology versus Palaeoconchology' (Presidential Address)	66
		— 'Note on the occurrence of <i>Pisidium personatum</i> , Malm, in the British Islands'	124
		— 'Darwinism and Malacology' (Presidential Address)	272
		— 'On the occurrence of <i>Pisidium supinum</i> in the living state in England'	330
		— see Kennard, A. S., and Woodward, B. B.	90